

# DIVERGENT ENSEMBLE NETWORKS : IMPROVING PREDICTIVE RELIABILITY AND COMPUTATIONAL EFFICIENCY

A. Chandorkar and A. Kharbanda

Indian Institute of Technology, Ropar

## ABSTRACT

*The effectiveness of ensemble learning in improving prediction accuracy and estimating uncertainty is well-established. However, conventional ensemble methods often grapple with high computational demands and redundant parameters due to independent network training. This study introduces the Divergent Ensemble Network (DEN), a novel framework designed to optimize computational efficiency while maintaining prediction diversity. DEN achieves superior predictive reliability with reduced parameter overhead by leveraging shared representation learning and independent branching. Our results demonstrate the efficacy of DEN in balancing accuracy, uncertainty estimation, and scalability, making it a robust choice for real-world applications.*

## KEYWORDS

*uncertainty estimation, deep learning, artificial intelligence*

## 1. INTRODUCTION

In controlled conditions and simulations, contemporary deep-learning networks have shown remarkable performance. However, when confronted with unexplored data, unforeseen fluctuations, or noisy inputs, its reliability frequently declines in real-world circumstances, potentially resulting in predictions that are not accurate. This raises concerns about the dependability of these networks in practical applications. [5]. To address this challenge, leveraging uncertainty estimation was proposed as a solution to enhance their robustness and ensure real-world applicability. Neural networks struggle with quantifying predictive uncertainty and often generate overly confident predictions. Such overconfident incorrect predictions can lead to detrimental results [7].

In deep learning, there are two types of uncertainties: aleatoric uncertainty and epistemic uncertainty.

1. Aleatoric uncertainty originates from the inherent noise or randomness in the data. This type of uncertainty cannot be reduced by altering the model, as it is an intrinsic characteristic of the data itself [4].
2. Epistemic uncertainty arises from a lack of knowledge or information regarding the model. Unlike aleatoric uncertainty, epistemic uncertainty can be mitigated by improving the model design or gathering additional data [4].

Aleatoric uncertainty can be quantified using the entropy of the predictive distribution, which captures the uncertainty intrinsic to the data itself [12]. In contrast, epistemic uncertainty is often

measured by examining the variation among different models, representing the extent to which predictions fluctuate due to limited knowledge.

These methods offer distinct approaches to quantifying and reducing uncertainty in deep learning models, helping to enhance model reliability and performance. The ensemble's biggest challenge is reducing redundancy while preserving its diversity. While techniques like Monte Carlo Dropout (MC Dropout) approximate ensembles by stochastic regularization, they may compromise predictions' independence [13]. Similarly, approaches like Batch Ensemble aim to reduce computation but need help with flexibility in capturing model variance. This trade-off between computational efficiency and one of the primary obstacles to ensemble learning is still ensemble diversity. To address these challenges, we propose the Divergent Ensemble Network (DEN), a novel architecture that combines the benefits of shared representation learning and ensemble diversity. DEN features a shared input layer that captures a common representation across all ensemble members, followed by independent branching layers that train separately to maintain prediction diversity. This architecture balances computational efficiency with predictive robustness, making it suitable for scenarios where both accuracy and uncertainty estimation are critical.

In this study, we assess DEN across various tasks, emphasizing its ability to estimate uncertainty while preserving predictive accuracy. Our findings indicate that DEN surpasses conventional ensembles in computational efficiency and achieves similar or superior uncertainty estimation. Additionally, its scalable nature allows for adaptability in a wide range of applications, including those that require real-time predictions. The remainder of this paper is structured as follows: Section 2 provides an overview of the DEN architecture and its training approach. Section 3 showcases the findings, while Section 4 explores the applications and constraints, and Section 5 offers concluding remarks.

## 2. ARCHITECTURE

### 2.1. Problem Statement and Overview

We assume that the training dataset  $D$  consists of  $N$  Independent and Identically Distributed (i.i.d) data points. For classification problems, the label is assumed to be one of  $K$  classes, that is  $y \in \{1, 2, 3, \dots, K\}$ . For regression problems, the label is assumed to be real-valued, that is  $y \in \mathbb{R}$ .

Given the input features  $x$ , we use a neural network to model the probabilistic predictive distribution  $p_{\theta}(y|x)$  over the labels, where  $\theta$  are the parameters of the neural network.

The Divergent Ensemble Network (DEN) uses a shared-to-branching architecture for ensemble learning. A common input layer processes shared features, followed by a single shared representation layer that extracts fundamental features. After this, the network diverges into multiple independent branches, each trained with distinct parameters to have independent predictions. These branches operate on the shared features and produce independent outputs. This model thus provides independent predictions while also giving faster predictions.




Fig.1. Visual representation of the proposed neural network architecture.

The shared layer in DEN ensures efficient parameter usage by processing input features once, reducing redundancy. Meanwhile, the divergent branches maintain the independence necessary for effective ensemble learning. By decoupling shared representation from individual predictions, DEN achieves a unique balance between computational efficiency and predictive variance.

## 2.2. Shared Input and Divergent Branches for Independent Predictions

After the architecture is divided into several independent networks after the shared layers. Each branch processes the shared representation further, utilizing distinct weights and biases to enable independent predictions. These branches act as independent ensemble members while benefiting from the common input processing. Each branch consists of multiple fully connected layers, with the activation functions being considered as a hyperparameter. Dropout layers are also incorporated, as they can improve accuracy by reducing overfitting.

However, increasing the number of branches introduces trade-offs in terms of computational resources. While adding more branches can potentially improve model performance by enhancing ensemble diversity, it also requires more memory and computational power, as each additional branch adds extra parameters and layers to the model. This results in higher processing time during both training and inference stages, which can be particularly costly in resource-constrained environments. Therefore, a balance must be struck between the number of branches and available computational resources to ensure efficient use of the system.

## 2.3. Loss Function and Optimization

Each branch is trained independently using a loss function specific to the task, and each branch gets to see the data in a loop so that the common layers are trained. For classification tasks, the softmax cross-entropy loss is typically used, and the mean squared error for regression tasks. Additionally, ensemble diversity is encouraged by training branches independently, ensuring variance in predictions and robust uncertainty estimation. As in traditional deep learning models, the selection of loss functions and strategies remains flexible, allowing users to adapt them to their needs and also use trainable activation functions if needed.

### 3. OBSERVATIONS AND RESULTS

#### 3.1. Dataset

We first used the MNIST dataset to train our model. The MNIST dataset is a large, well-known database of handwritten digits comprising 70,000 images, of which 60,000 are used for training and 10,000 for testing. Each image is a grayscale representation of a digit (0–9) with a resolution of 28×28 pixels. As one of the benchmark datasets in machine learning and computer vision, MNIST provides a simple yet effective framework for evaluating classification algorithms. To further test our model’s robustness, we utilized the NotMNIST dataset, which offers a similar structure but focuses on the classification of letters A through J in a variety of fonts. The dataset comprises 18,724 training images and 1,872 testing images, all grayscale and sized at 28×28 pixels.



Fig.2. Comparison of the MNIST and NotMNIST Datasets.

After comparing the results with the MNIST dataset, we extended our evaluation to test the model’s ability to quantify uncertainty by using it on the NotMNIST datasets. The NotMNIST dataset contains not only numbers but also letters, which provides a way to test how the model performs on unseen data. By analyzing the model’s performance on these NotMNIST datasets, we aimed to evaluate how effectively it distinguishes between familiar (in-distribution) and unfamiliar (out-of-distribution) data. This approach has been widely practiced [7] involving unpredictable or previously unseen data. To evaluate the performance of our proposed model in uncertainty estimation on regression data we use a toy function.

$$y = 10\sin(x) + \epsilon \tag{1}$$

where  $\epsilon$  is a small noise term sampled from a normal distribution,  $\epsilon \sim N(0, \sigma^2)$ , added to introduce variability in the data. The input values,  $x$ , are sampled from the range  $[-3, 3]$  with a step size of 0.001. For  $x < 0$ , the noise term is sampled with a standard deviation of  $\sigma_1 = 3$ , and for  $x \geq 0$ , the noise term has a standard deviation of  $\sigma_2 = 1$ . The corresponding true values  $y_{\text{true}}$  are calculated without noise, following the equation

$$y_{\text{true}} = 10\sin(x). \tag{2}$$

For uncertainty estimation, we extend the evaluation to include test data sampled from values outside the domain of the training dataset (e.g.,  $x \in [b+\delta, c]$  for some  $\delta > 0$ ). This setup allows us to assess the model’s ability to identify epistemic uncertainty, as these test points lie in regions not seen during training. The increased uncertainty in such out-of-distribution (OoD) regions provides a robust measure of the model’s performance in handling unknown scenarios.

We compare the results of our model with other standard approaches such as deep ensembles, Bootstrap and MC Dropout. By examining the predicted values, their confidence intervals, and uncertainty metrics.

### 3.2. Uncertainty Evaluation

Overconfident predictions on unseen classes pose a challenge for the reliable deployment of deep learning models in real-world applications. Therefore, we expected the predictions to exhibit higher uncertainty for test data that was much different from the training data. To test if the proposed method possesses this desirable property, we trained a Multilayer Perceptron (MLP) on the standard MNIST train/test split using the proposed neural architecture.

In addition to the regular test set with known classes, we also evaluated the model on a test set containing unknown classes. For this, we used the test split of the NotMNIST dataset, where the images have the same size as in the MNIST dataset, but the labels are alphabets instead of digits. Though we do not have access to the true conditional probabilities, we expected the predictions to be closer to a uniform value on unseen classes compared to the known classes, where the predictive probabilities should concentrate on the true targets. We evaluated the entropy of the predictive distribution and used this to assess the quality of the uncertainty estimates.

We trained a Multilayer Perceptron (MLP) using the proposed neural architecture on a toy regression problem with Mean Squared Error (MSE) as the loss function to evaluate whether the proposed method demonstrates this desirable property on regression as well.

The training data consisted of input values sampled from a specific domain,  $x \in [a,b]$ , and corresponding noisy targets generated from the function  $y = 10\sin(x) + \epsilon$ , where  $\epsilon \sim N(0,\sigma^2)$ . After training, we tested the model on two distinct sets of data:

1. In-Domain Test Set: Samples from the same range as the training domain ( $x \in [a,b]$ ).
2. Out-of-Domain Test Set: Samples drawn from a different range not seen during training ( $x \in [b + \delta, c]$ , for some  $\delta > 0$ ).

We hypothesized that the model's predictions on the out-of-domain test set would reflect higher uncertainty compared to the in-domain test set, where the model had been trained to approximate the function. Since the true conditional variance of the target is known for the toy function, this setup allows us to qualitatively and quantitatively assess the model's ability to identify epistemic uncertainty.

To measure the uncertainty, we analysed the entropy of the predictive distribution for each test point. For out-of-domain samples, we expect the predictions to reflect a more uniform distribution, indicating a lack of confidence.

$$\text{Confidence} = \frac{1}{n} \sum_{i=1}^n \hat{y}_i \quad (3)$$

where  $\hat{y}_i$  is the predicted probability or confidence score for each sample.

$$\text{Variance} = \frac{1}{n} \sum_{i=1}^n (\hat{y}_i - \bar{\hat{y}})^2 \quad (4)$$

where  $\hat{y}_i$  is the predicted value for each sample, and  $\bar{\hat{y}}$  is the mean of the predicted values.

$$H(p) = -\sum_{i=1}^n p(x_i) \cdot \log p(x_i) \quad (5)$$

where  $p(x_i)$  is the probability of class  $x_i$ , and the sum is taken over all possible classes. Entropy measures the uncertainty of the predicted probability distribution. As shown in Figure 4, while the MSE, MAE, and  $R^2$  scores remain relatively consistent, there is a significant reduction in inference time.

Table 1. Evaluation Results (MNIST) (Classification)

Model	Ensemble Accuracy (%)	Single Model Accuracy (%)	Average Inference Time (s)
Ensemble	98.56	97.78	0.263453
MC Dropout	97.33	97.67	0.158070
Bootstrap	97.67	96.67	0.277438
<b>DEN</b>	<b>98.78</b>	<b>98.44</b>	<b>0.056009</b>

Table 2. Evaluation Results (NotMNIST) (Classification)

Model	Accuracy	Average Confidence	Average Variance	Average Entropy	Inference Time (s)
Ensemble	10.22	0.6754	0.0406	0.6707	0.228371
MC Dropout	9.78	0.7545	0.0053	0.5987	0.164834
Bootstrap	10.78	0.6691	0.0416	0.6853	0.229866
<b>DEN</b>	10.78	0.7019	0.0375	0.6125	<b>0.045510</b>

Table 3. Evaluation Results (Regression)

Model	MSE	MAE	$R^2$	Inference Time (s)
Ensemble	5.1846	1.6353	0.9088	0.298662
MC Dropout	5.4889	1.7045	0.9034	0.159630
Bootstrap	5.2421	1.6383	0.9078	0.308347
<b>DEN</b>	5.3483	1.6703	0.9059	<b>0.065887</b>

### 3.3. Results

The code used for the experiments in this paper is publicly available on GitHub: <https://github.com/Arker123/Divergent-Ensemble-Networks>.

We ran the model on an Intel i5 12th gen processor, utilizing only a single core for performance comparison purposes. We found an approximate 6x improvement in execution time compared to other models (see Table 1), making it suitable for real-time predictions. We tested the model on 9000 examples from each class and evaluated the uncertainty on out-of-distribution examples from unseen classes for classification.

For the MNIST dataset, our model outperforms the existing Ensemble, MC Dropout, and Bootstrap methods by about 6x, and about 4x in the case of the NotMNIST dataset. All of the methods show low entropy as expected. However, MC Dropout seems to give high confidence predictions for some of the test examples, even for unseen classes. The results are shown in Tables 1 and 2. Such overconfident wrong predictions can be problematic in practice when tested on a mixture of known and unknown classes. DEN, Bootstrap, and Ensemble produce higher

uncertainty on unseen classes, which is a desirable feature for reliable model deployment in real world applications.

The following plots showcase the robustness of our model (DEN). As shown, DEN excels in the inference time metric compared to all other models, while maintaining comparable performance across the other metrics.




Fig.3. Classification performance metrics: (a) Model Accuracy Comparison between Ensemble and Single Model Approaches, (b) Average Inference Time per Model, (c) Performance Metrics: Accuracy and Inference Time for Different Models

For regression on toy function our model outperforms the Ensemble and bootstrap by a factor of about 5 and MC Dropout by a factor of about 2.5. All the methods have about the same MSE, MAE and  $R^2$  Score. The result is shown in Table 3.




Fig.4. Regression performance metrics: (a) Mean Squared Error (MSE), (b) Mean Absolute Error (MAE), (c)  $R^2$  Score, and (d) Average Inference Time.

### 3.4. Scalability Analysis and Branch-Based Decomposition of DEN

We performed a scalability analysis of our proposed model (DEN) against Ensemble Networks, MC Dropout, and Bootstrap methods. The evaluation was conducted for varying ensemble sizes: 1, 5, 10, 20, and 50. As shown in Figure 5 in the appendix, the accuracy remains consistent across all models regardless of ensemble size. Training time is nearly identical for DEN, Bootstrap, and Ensemble Networks, whereas MC Dropout exhibits significantly lower training times, as expected. Regarding inference time, DEN demonstrates the lowest latency, followed by MC Dropout, with Ensemble and Bootstrap methods having comparatively higher inference times.




Fig.5. Scalability Analysis: (a) Model Accuracy vs Size of Ensemble Network, (b) Training Time of Models vs Size of Ensemble Network, (c) Inference Time vs Ensemble Size

To further analyse the scalability and adaptability of DEN, we explored a branch-based decomposition approach. This involved dividing the DEN model into multiple sub-models while maintaining the same number of outputs. For example, a DEN model with 50 branches was split into configurations such as two models with 25 branches each, five with 10 branches each, and so on. Notably, a configuration with 50 models, each having one branch, resembles an ensemble network. The results of this analysis are presented in Figure 6 in the appendix.

The accuracy remains consistent across all configurations, demonstrating the robustness of DEN to such decompositions. However, training time is highest for the configuration with 10 branches per model and five models to be trained. This can be attributed to the increased complexity of training multiple models concurrently while managing inter-branch dependencies. Despite this, the training time difference is marginal, approximately 1000 seconds (1316 vs. 1414 seconds). Significantly, inference time decreases exponentially as the number of models decreases and the number of branches per model increases, showcasing the efficiency of DEN in resource-constrained environments.






Fig.6. Effect of Branch-Based Decomposition on (a) Accuracy, (b) Training Time, and (c) Inference Time for DEN Models

#### 4. APPLICATIONS

Uncertainty estimation methods have shown great potential in domains like computer vision and medical imaging [10]. Deep ensembles effectively detect epistemic uncertainties, such as out of distribution (OoD) data and adversarial samples, enhancing neural network robustness [10]. Integrating ensembles with probabilistic embeddings further improves uncertainty quantification, essential for real-world tasks [11].

In continual learning, ensembles address uncertainty by enabling robust learning in dynamic environments [14]. In medical imaging, they enhance confidence calibration and prediction reliability [8]. Divergent Ensemble Networks, with their multi-branch architecture, provide efficient uncertainty estimation and are faster at inference, making them ideal for realtime applications like robotics, manufacturing testing, and more.

#### 5. CONCLUSION

This model achieved significant results on standard datasets for uncertainty estimation. The proposed architecture requires less space and computation time compared to traditional ensemble architectures. While Monte Carlo methods are more space-efficient than the proposed model, Bootstrap, ensembles, and Monte Carlo approaches require multiple inferences, increasing the time needed to generate results. In contrast, the proposed model is well-suited for time-sensitive and real-time applications.

### 5.1. Limitations of DEN

One of the current limitations of the Divergent Ensemble Networks (DEN) is its dependence on the choice of shared representations. The effectiveness of these representations is crucial for the overall model performance and may require substantial hyperparameter tuning. Furthermore, as the number of branches increases, computational resources required for both training and inference also increase. This can pose scalability challenges, particularly when dealing with very large ensembles. These factors may limit DEN's application to resource-constrained environments or larger datasets without further optimization.

### 5.2. Future Work

In future work, the DEN model should be explored using different activation and loss functions to study their effects on uncertainty estimation. Furthermore, the model could be extended to architectures like Kolmogorov-Arnold Networks (KAN) [15] to evaluate the impact of trainable activation functions and newer architectural designs on performance and uncertainty metrics.

Additionally, the proposed model should be implemented on hardware platforms to assess its performance in real-world scenarios, especially in applications for Internet of Things (IoT) devices and other real-time systems. Hardware implementation will provide insights into challenges such as computational overhead and integration with existing IoT ecosystems. A scalability analysis of the model is also essential to evaluate its efficiency as the number of branches increases. Optimizations focused on reducing computational costs and enhancing resource efficiency will be critical for scaling DEN to larger, more complex tasks.

### 5.3. Broader Impact

DEN has the potential to make a positive societal impact by reducing biases in AI systems. By leveraging uncertainty estimation, DEN can enhance the fairness and adaptability of models, making them more robust to changes in input data and ensuring that decisions are made with higher confidence. Furthermore, DEN can contribute to ethical AI deployment by providing transparency into model predictions and supporting decision-making processes that are more explainable and reliable.

## REFERENCES

- [1] Leo Breiman. Bagging predictors. *Machine learning*, 24:123–140, 1996.
- [2] Yarin Gal and Zoubin Ghahramani. Dropout as a bayesian approximation: Representing model uncertainty in deep learning. In *international conference on machine learning*, pages 1050–1059. PMLR, 2016.
- [3] Mudassir A Ganaie, Minghui Hu, Ashwani Kumar Malik, Muhammad Tanveer, and Ponnuthurai NSuganthan. Ensemble deep learning: A review. *Engineering Applications of Artificial Intelligence*, 115:105151, 2022.
- [4] Eyke Hu'llermeier and Willem Waegeman. Aleatoric and epistemic uncertainty in machine learning: an introduction to concepts and methods. *Machine Learning*, 110(3):457–506, Mar 2021.
- [5] Heinrich Jiang, Been Kim, Maya Gupta, and Melody Y. Guan. To trust or not to trust a classifier. In *Advances in Neural Information Processing Systems (NeurIPS)*, volume 31, pages 5541–5552, 2018. Cited by: 264.
- [6] Michael Klas, Adam Trendowicz, Yasushi Ishigai, and Haruka Nakao. Handling estimation uncertainty with bootstrapping: Empirical evaluation in the context of hybrid prediction methods. In *2011 International Symposium on Empirical Software Engineering and Measurement*, pages 245–254. IEEE, 2011.

- [7] Balaji Lakshminarayanan, Alexander Pritzel, and Charles Blundell. Simple and scalable predictive uncertainty estimation using deep ensembles. *Advances in neural information processing systems*, 30, 2017.
- [8] Alireza Mehrtash, William M Wells, Clare M Tempany, Purang Abolmaesumi, and Tina Kapur. Confidence calibration and predictive uncertainty estimation for deep medical image segmentation. *IEEE transactions on medical imaging*, 39(12):3868–3878, 2020.
- [9] Radford M Neal. *Bayesian learning for neural networks*, volume 118. Springer Science & Business Media, 2012.
- [10] MINA Rawat, Martin Wistuba, and Maria-Irina Nicolae. Harnessing model uncertainty for detecting adversarial examples. In *NIPS Workshop on Bayesian Deep Learning*, 2017.
- [11] Tyler R Scott, Karl Ridgeway, and Michael C Mozer. Stochastic prototype embeddings. *arXiv preprint arXiv:1909.11702*, 2019.
- [12] Murat Sensoy, Lance Kaplan, and Melih Kandemir. Evidential deep learning to quantify classification uncertainty. In S. Bengio, H. Wallach, H. Larochelle, K. Grauman, N. Cesa-Bianchi, and R. Garnett, editors, *Advances in Neural Information Processing Systems*, volume 31. Curran Associates, Inc., 2018.
- [13] Ronald Seoh. Qualitative analysis of monte carlo dropout. *arXiv preprint arXiv:2007.01720*, 2020.
- [14] Yichun Shi and Anil K Jain. Probabilistic face embeddings. In *Proceedings of the IEEE/CVF International Conference on Computer Vision*, pages 6902–6911, 2019.
- [15] Ziming Liu, Yixuan Wang, Sachin Vaidya, Fabian Ruehle, James Halverson, Marin Soljagic, Thomas Y Hou, and Max Tegmark. Kan: Kolmogorov-arnold networks. *arXiv preprint arXiv:2404.19756*, 2024

## AUTHORS

**Advait Chandorkar** is currently studying mechanical engineering at IIT Ropar. His research interests include Robotics, Evolutionary Game Theory, and Computational Mechanics.



**Aranav Kharbanda** is currently studying Computer Science Engineering at IIT Ropar. His research interest includes Robotics, Reinforcement Learning, and Machine Learning.

